



Grupo 108

AGRICULTURE TIRES

Grupo 108

Business Promoters in Latin America

EL SALVADOR

Grupo 108 Centroamerica SA de CV
Ciudad Satelite, pasaje Aries,
polígono M, casa No. 23, San Salvador,
El Salvador

INDIA

Grupo108 Business Services Pvt. Ltd.
Villa No. 328, Omaxe City II, Mangliya,
Indore, Madhya Pradesh, Pin - 453771
India,

www.grupo108.com
info@grupo108.com



Code : GRP-AGR-F2

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Size (inch)	Section Width (inch)	Over All Diameter (inch)	Load Capacity (Kgs)			Inflation Pressure (kpa)
							Rated Speed			
							0 km/h	15km/h	40km/h	
4.00-12	4	F-2	TT/TL	3	4.3	21.04	448	336	224	360
4.00-19	4	F-2	TT/TL	3	4.4	28.25	650	488	325	360
5.00-15	6	F-2	TT/TL	3	5.1	26	750	563	375	390
5.50-16	6	F-2	TT/TL	4	5.8	28.06	950	712	475	390
6.00-16	6	F-2	TT/TL	4	6.25	29.1	1030	772	515	360
6.50-16	6	F-2	TT/TL	4.5	6.7	29.76	1120	840	560	330
7.5L-15	6	F-2	TT/TL	6	8.1	29.16	1300	975	650	300
7.50-16	8	F-2	TT/TL	5.5	8.1	31.6	1550	1162	775	390
7.50-18	8	F-2	TT/TL	5.5	8	33.6	1700	1275	850	390
7.50-20	8	F-2	TT/TL	5.5	8	35.6	1800	1350	900	390
9.5L-15	8	F-2	TT/TL	7	9.6	30.7	1700	1275	850	330
10.00-16	8	F-2	TT/TL	8	10.7	35.1	2120	1590	1060	300
11.00-16	8	F-2	TT/TL	10	12.6	37.98	2360	1770	1180	280
11L-15	8	F-2	TT/TL	8	10.89	31.9	1900	1425	950	300





Code : GRP-AGR-F2M

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Size (inch)	Section Width (inch)	Over All Diameter (inch)	Load Capacity (Kgs)			Inflation Pressure (kpa)
							Rated Speed			
							0 km/h	15km/h	40km/h	
10.00-16	8	F-2M	TT/TL	8	10.7	35.1	2120	1590	1060	300
11.00-16	8	F-2M	TT/TL	10	12.6	37.98	2360	1770	1180	280





Code : GRP-AGR-I1

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Size (inch)	Section Width (inch)	Over All Diameter (inch)	Load Capacity (Kgs)			Inflation Pressure (kpa)
							Rated Speed			
							0 km/h	15km/h	40km/h	
5.90-15	4	I-1	TT/TL	4.5	6.2	26.1	1030	592	515	250
6.70-15	8	I-1	TT/TL	4.5	6.7	27.6	1900	1092	950	390
7.60-15	8	I-1	TT/TL	5.5	7.5	28.7	1900	1092	950	360
9.5L-14	8	I-1	TT/TL	7	9.6	29.1	2180	1253	1090	300
9.5L-15	8	I-1	TT/TL	7	9.7	30.2	2240	1288	1120	300
9.5L-15	12	I-1	TT/TL	7	9.7	30.2	2720	1564	1360	390
11L-14	6	I-1	TT/TL	8	10.82	29.4	1850	1064	925	190
11L-15	8	I-1	TT/TL	8	10.8	30.7	2300	1322	1150	250
11L-15	12	I-1	TT/TL	8	10.8	30.7	2900	1667	1450	360
11L-16	8	I-1	TT/TL	8	11	31.4	2430	1395	1215	250
12.5L-15	8	I-1	TT/TL	10	12.7	32.4	2720	1564	1360	250
12.5L-15	10	I-1	TT/TL	10	12.7	32.4	3100	1782	1550	300
12.5L-15	12	I-1	TT/TL	10	12.7	32.4	3500	2012	1750	360
14L-16.1	10	I-1	TT/TL	11	14.3	37	3800	2185	1900	250
16.5L-16.1	12	I-1	TT/TL	14	16.7	40.5	5150	2960	2575	280





Code : GRP-AGR-IMP01

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (inch)	Overall Dimeter (inch)	Load Index	S.R (mm)
10.0/80-12	8	IMP01	TL	9.00	9.5	10.65	28.30	112	336
10.0/80-12	10	IMP01	TL	9.00	9.5	10.65	28.30	117	336
10.0/75-15.3	10	IMP01	TL	9.00	9.0	10.40	30.00	122	360
10.0/75-15.3	12	IMP01	TL	9.00	9.0	10.40	30.00	125	360
10.0/75-15.3	14	IMP01	TL	9.00	9.0	10.40	30.00	130	360
10.0/75-15.3	16	IMP01	TL	9.00	9.0	10.40	30.00	136	360
11.5/80-15.3	10	IMP01	TL	9.00	8.0	11.50	33.40	130	397
11.5/80-15.3	12	IMP01	TL	9.00	8.0	11.50	33.40	134	397
11.5/80-15.3	14	IMP01	TL	9.00	8.0	11.50	33.40	139	397
11.5/80-15.3	16	IMP01	TL	9.00	8.0	11.50	33.40	141	397
12.5/80-15.3	14	IMP01	TL	9.00	10.5	12.30	35.00	141	416
12.5/80-15.3	16	IMP01	TL	9.00	10.5	12.30	35.00	144	416
400/60-15.5	14	IMP01	TL	13.00	11.0	16.30	34.70	140	406
400/60-15.5	16	IMP01	TL	13.00	11.0	16.30	34.70	145	406





Code : GRP-AGR-IMP02

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (inch)	Overall Dimeter (inch)	Load Index	S.R (mm)
10.5/65-16	10	IMP02	TT/TL	9.00	9.5	10.78	29.72	123	351
10.5/65-16	14	IMP02	TT/TL	9.00	9.5	10.78	29.72	130	351
11.5/80-15.3	14	IMP02	TL	9.00	9.5	11.50	33.40	139	397
12.5/80-15.3	14	IMP02	TL	9.00	10.5	12.10	35.00	141	416
13.0/65-18	16	IMP02	TL	11.00	10.0	13.10	35.00	143	414
400/60-15.5	14	IMP02	TL	13.00	11.0	16.30	34.70	140	406
400/60-15.5	16	IMP02	TL	13.00	11.0	16.30	34.70	145	406
500/60-22.5	16	IMP02	TL	16.00	13.0	19.80	46.14	159	540





Code : GRP-AGR-RI

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (mm)	Overall Diameter (mm)
4.00-12	4	R-1	TT	3.00	15.00	4.33	21.06
5.00-12	6	R-1	TL/TT	4.00	15.00	5.60	22.73
6.00-16	8	R-1	TT	4.50	17.00	6.55	28.90
6.50-16	8	R-1	TT	5.50	19.00	7.40	29.58
7.50-16	8	R-1	TL/TT	6.00	21.00	8.32	32.55
7.50-20	8	R-1	TT	5.50	22.00	8.00	35.62
8.3-20	8	R-1	TT	7.00	22.00	8.26	35.23
9.5-20	8	R-1	TT	8.00	23.00	9.45	37.40
8.3-24	8	R-1	TT	7.00	24.00	8.50	39.00
9.5-24	8	R-1	TT	8.00	27.00	9.50	41.26
11.2-24	8	R-1	TT	10.00	28.50	11.30	43.34
11.2-28	8	R-1	TT	10.00	31.00	11.20	47.24
12.4-24	8	R-1	TT	11.00	33.00	12.20	45.32
12.4-28	8	R-1	TT	11.00	33.00	12.50	49.72
13.6-24	8	R-1	TT	12.00	35.00	13.70	47.32
13.6-28	8	R-1	TT	12.00	35.00	13.60	51.62
13.6-38	8	R-1	TT	12.00	34.00	13.60	61.62
14.9-24	8	R-1	TT	13.00	31.00	15.00	49.52
14.9-28	8	R-1	TT	13.00	34.00	14.90	53.52
15.5-38	10	R-1	TT	14.00	37.00	15.50	61.96
16.9-24	8	R-1	TT	15.00	37.00	16.90	52.10
16.9-28	8	R-1	TT	15.00	37.00	16.90	56.10
16.9-30	8	R-1	TT	15.00	37.00	17.00	58.78
16.9-30	14	R-1	TT	15.00	37.00	17.00	58.78
16.9-38	10	R-1	TT	15.00	38.00	16.90	66.48



Code : GRP-AGR-RI

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (mm)	Overall Diameter (mm)
18.4-30	10	R-1	TT	16.00	37.50	18.60	61.40
18.4-34	10	R-1	TT	16.00	37.50	18.60	65.00
18.4-38	10	R-1	TT	16.00	37.50	18.60	69.30
20.8-38	14	R-1	TT	16.00	42.00	20.80	72.20
5.50-17	6	R-1	TT	4.00E	22	5.43	29.53
6.00-12	6	R-1	TT	4.50E	20	6.50	25.20
6.00-12	8	R-1	TT	4.50E	20	6.50	25.20
8.3-22	6	R-1	TT	W7	25	8.20	37.50
8.3-22	8	R-1	TT	W7	25	8.20	37.50
15.5/80-24	12	R-1	TL	W13	32	15.51	49.69
15.5/80-24	14	R-1	TL	W13	32	15.51	49.69
16.9-34	6	R-1	TT	W15L	39	16.93	62.40
16.9-34	8	R-1	TT	W15L	39	16.93	62.40
16.9-34	10	R-1	TT	W15L	39	16.93	62.40
16.9-34	12	R-1	TT	W15L	39	16.93	62.40
16.9-34	14	R-1	TT	W15L	39	16.93	62.40
18.4-42	8	R-1	TT	W16	37	18.39	73.11
18.4-42	10	R-1	TT	W16	37	18.39	73.11
18.4-42	12	R-1	TT	W16	37	18.39	73.11
18.4-42	14	R-1	TT	W16	37	18.39	73.11
18.4-42	16	R-1	TT	W16	37	18.39	73.11
23.1-30	8	R-1	TL	DW20	40	23.11	67.13
23.1-30	10	R-1	TL	DW20	40	23.11	67.13
23.1-30	12	R-1	TL	DW20	40	23.11	67.13
23.1-26	8	R-1	TT	DW20	40	23.11	63.19



Code : GRP-AGR-RI

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (mm)	Overall Diameter (mm)
23.1-26	10	R-1	TT	DW20	40	23.11	63.19
23.1-26	12	R-1	TT	DW20	40	23.11	63.19
23.1-26	14	R-1	TT	DW20	40	23.11	63.19
23.1-26	16	R-1	TT	DW20	40	23.11	63.19
16/70-20	10	R-1	TT	13.0/1.0	33	16.14	42.32
14.9-26	6	R-1	TT	W13	36	14.88	51.77
14.9-26	8	R-1	TT	W13	36	14.88	51.77
14.9-26	10	R-1	TT	W13	36	14.88	51.77
14.9-30	6	R-1	TT	W13	38	14.88	55.71
14.9-30	8	R-1	TT	W13	38	14.88	55.71
14.9-30	10	R-1	TT	W13	38	14.88	55.71
18.4-26	6	R-1	TT	DW16	37	18.39	57.09
18.4-26	8	R-1	TT	DW16	37	18.39	57.09
18.4-26	10	R-1	TT	DW16	37	18.39	57.09
18.4-26	12	R-1	TT	DW16	37	18.39	57.09
9.50-32	6	R-1	TT	W8	30	9.50	49.20
9.50-32	8	R-1	TT	W8	30	9.50	49.20
12.4-32	4	R-1	TT	W11	36	12.40	53.54
12.4-32	6	R-1	TT	W11	36	12.40	53.54
12.4-32	8	R-1	TT	W11	36	12.40	53.54
12.4-32	10	R-1	TT	W11	36	12.40	53.54



Code : GRP-AGR-ZR03

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (mm)	Overall Diameter (mm)	Load Index	S.R (mm)
10.0/75-15.3	10	ZR03	TL	9.00	25.0	10.30	30.30	111	360
10.0/75-15.3	12	ZR03	TL	9.00	25.0	10.30	30.30	114	360
10.0/75-15.3	14	ZR03	TL	9.00	25.0	10.30	30.30	118	360
10.0/75-15.3	12	ZR03	TL	9.00	26.7	11.41	33.60	123	360
10.0/75-15.3	14	ZR03	TL	9.00	26.7	11.41	33.60	126	360





Code : GRP-AGR-ZR100

AGRICULTURAL TYRE

Size	Ply Rating	Pattern	TL/TT	Rim Width	Pattern Depth (mm)	Section Width (mm)	Overall Diameter (mm)	Load Index	S.R (mm)
1.5/80-15.3	12	ZR100	TL	9.00	26.5	11.40	33.30	123	397
1.5/80-15.3	14	ZR100	TL	9.00	26.5	11.40	33.30	126	397



TIRES

