



Grupo 108

INDUSTRIAL  
TIRES

**Grupo 108**

Business Promoters in Latin America

**EL SALVADOR**

Grupo 108 Centroamerica SA de CV  
Ciudad Satelite, pasaje Aries,  
polígono M, casa No. 23, San Salvador,  
El Salvador

**INDIA**

Grupo108 Business Services Pvt. Ltd.  
Villa No. 328, Omaxe City II, Mangliya,  
Indore, Madhya Pradesh, Pin - 453771  
India,

[www.grupo108.com](http://www.grupo108.com)

[info@grupo108.com](mailto:info@grupo108.com)



Code : GRP-IND-FORKLIFT

Size	Ply Rating	Type	Rim Width (Inch)	Pattern Depth (mm)	Section Width (Inch)	Overall Diameter (Inch)
4.00-8	8	TT	2.50	10.4	4.25	16.64
4.80-8	8	TT/SET	2.50	13.5	4.35	16.80
5.00-8	10	TT/SET	3.00	12	5.15	18.46
6.00-9	12	TT/SET	4.00	15	6.3	21.46
6.50-10	12	TT/SET	5.00	17	7	23.50
7.00-9	10	TT/SET	5.00	14	7.48	23.23
7.00-12	14	TT/SET	5.00	17.5	7.57	26.88
7.00-15	12	TT/SET	5.50	15	8	30.00
7.50-15	12	TT/SET	6.00	16	8.45	31.82
8.15-15	14	TT/SET	7.00	16	8.7	27.80
8.25-12	12	TT/SET	6.50	15	9.25	30.11
8.25-15	14	TT/SET	6.50	17	9.3	33.36
10.00-20	16	TT/SET	7.50	23	10.95	42.23
12.00-20	20	TT/SET	8.50	23	12.4	45.10
16X6-8	10	TT/SET	4.33	14	5.98	16.73
18X7-8	16	TT/SET	4.33	12	6.63	18.30
21X8-9	14	TT/SET	6.00	16	8	21.00
23X9-10	16	TT/SET	7.00	17	9	23.00
27X10-12	16	TT/SET	8.00	19	10	26.86
250-15	16	TT/SET	7.50	19	9.84	28.94





Code : GRP-IND-SKIDSTEER

Size	Ply Rating	Type	Rim Width (Inch)	Pattern Depth (mm)	Section Width (Inch)	Overall Diameter (Inch)
10-16.5	8	TT/TL	8.25	19	10.8	30.4
10-16.5	10	TT/TL	8.25	19	10.8	30.4
12-16.5	10	TT/TL	9.75	22	12.3	32.83
12-16.5	12	TT/TL	9.75	22	12.3	32.83
14-17.5	14	TT/TL	10.5	26	13.78	36.62
15-19.5	14	TT/TL	11.75	26	15.3	40.22





Code : GRP-IND-SOLIDTIRE

Size	Rim Size	Overall Diameter	Section Width	Max Load (kg)						Other Industrial 16km/h
				Counter Balanced Lift Truck						
				10km/h		16km/h		25km/h		
				Load	Rotation	Load	Rotation	Load	Rotation	
4.00-8	3.00	423	115	1055	845	1020	765	950	715	730
4.00-8	3.75	423	115	1055	845	1020	765	950	715	730
15x4 1/2-8	3.25	380	106	905	725	875	655	805	605	625
15x4 1/2-8	3.00	380	106	905	725	875	655	805	605	625
5.00-8	3.00	469	126	1210	970	1175	880	1095	820	840
16x16-8	4.33	7418	156	1500	1200	1445	1085	1345	1010	1035
18x7-8	4.33	457	154	2350	1880	2265	1700	2110	1585	1620
21x8-9	6.00	535	189	2810	2250	2715	2035	2530	1895	1940
23x9-10	6.50	597	230	4005	3205	3845	2885	3505	2705	2765
27x10-12	8.00	683	236	4465	3570	4315	3235	4020	3015	3082
6.00-9	4.00	545	140	1920	1535	1855	1390	1730	1295	1325
6.50-10	5.00	597	157	2640	2110	2545	1910	2370	1780	1820
200/50-10	6.50	458	198	2370	1900	2290	1720	2135	1605	1630
7.00-9	5.00	578	170	2730	2015	2605	1925	2370	1750	1785
7.00-12	5.00	683	168	3015	2410	2910	2185	2710	2035	2075
7.00-15	5.50	759	178	3590	2870	3465	2600	3225	2420	2475
7.00-15	6.00	759	178	3590	2870	3465	2600	3225	2420	2475
7.50-15	5.50	774	215	3690	2950	3425	2570	3190	2395	2450
7.50-15	6.00	774	215	3690	2950	3425	2570	3190	2395	2450
7.50-15	6.50	774	215	3690	2950	3425	2570	3190	2395	2450
7.50-16	5.50	819	181	3910	3130	3780	2835	3520	2640	2400
7.50-16	6.00	819	181	3910	3130	3780	2835	3520	2640	2400





Code : GRP-IND-SOLIDTIRE

Size	Rim Size	Overall Diameter	Section Width	Max Load (kg)						Other Industrial 16km/h
				Counter Balanced Lift Truck						
				10km/h		16km/h		25km/h		
				Load	Rotation	Load	Rotation	Load	Rotation	
8.25-15	6.50	847	205	4940	3950	4765	3575	4440	3330	3405
8.25-12	6.50	735	206	3325	2660	3215	2410	2995	2245	2295
8.15-15	7.00	706	207	4090	3270	3945	2960	3675	2755	2820
8.25-20	6.50	992	218	5425	4340	5420	3930	4880	3735	3475
7.50-20	6.50	935	218	5160	4130	4985	3740	4640	3480	3560
250-15	7.00	735	226	4365	3490	4220	3160	3930	2955	3010
250-15	7.50	735	226	4365	3490	4220	3160	4625	2955	3010
9.00-16	6.50	884	218	5135	4110	4965	3725	5380	3470	3550
300-15	8.00	838	258	5990	4790	5780	4335	5170	4035	1430
28x12.5-15	9.75	706	300	5730	4590	5540	4165	6410	3890	3955
32x12.1-15	9.75	823	301	7120	5700	6880	5170	5805	4820	4910
9.00-20	6.50	1038	238	6450	5160	6235	4675	5805	4355	4450
9.00-20	7.00	1038	238	6450	5160	6235	4675	6510	4355	4450
10.00-20	7.50	1073	252	7240	5795	6995	5245	6510	1885	4995
10.00-20	8.00	1073	252	7240	5795	6995	5245	6810	4885	4995
11.00-20	8.00	1058	277	7560	6050	7300	5490	6810	5120	2510
12.00-20	8.00	1146	290	8445	6755	8150	6080	7600	5700	5825
12.00-20	8.50	1146	290	8445	6755	8150	6082	7600	5700	5825

